




Bearing No. 6003-2Z/VA201

D	35 mm
d	17 mm
B	10 mm
C	10 mm
d1	23 mm
D2	31,2 mm
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
Weight	0,038 Kg
UNSPSC	31171504
r1 min.	0,3 mm
r2 min.	0,3 mm
Category	Single Row Ball Bearing
Enclosure	2 Metal Shields
Inventory	0.0
Snap Ring	No
Size (mm)	17x35x10
Width (mm)	10
Weight / LBS	0.041
Mass bearing	0.041 kg
Temperature -	30 to +250 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
Limiting speed	170 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6003-2Z/VA201
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.skf.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.394 Inch 10 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Long Description	17MM Bore; 35MM Outside Diameter; 10MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Fea
Manufacturer Name	SKF
Weight / Kilogram	0
D _a max.	33 mm
Bore Diameter (mm)	17
Internal Clearance	C0-Medium
r _a max.	0.3 mm
d _a min.	19 mm
d _a max.	22.9 mm
Outer Diameter (mm)	35
Minimum Buy Quantity	N/A
r _{1,2} min.	0.3 mm
D ₂ ?	31.2 mm
d ₁ ?	23 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Basic dynamic load rating C	6.37 kN

Limiting temperature T max.	250 °C
Basic static load rating (C0)	3,25 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	3.25 kN