




Bearing No. RNA49/22

D	39 mm
C	17 mm
m	50,2 g / Weight
Bore	1.102 Inch 28 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.669 Inch 17 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Separable	No
Enclosure	Open
Size (mm)	28x39x17
Inventory	0.0
Component	Roller Assembly with Outer Ring - No Inner Ring
Width (mm)	17
Closed End	No
Weight / LBS	0.111
n _B	8000 1/min / Reference speed
C _r	26000 N / Dynamic load rating (radial)
n _G	15300 1/min / Limiting speed
F _w	28 mm
Self Aligning	No
Inch - Metric	Metric
Product Group	B04144

C _{0r}	29500 N / Static load rating (radial)
Relubricatable	Yes
C _{ur}	5300 N / Fatigue limit load, radial
Keyword String	Bearing Needle
Thrust Bearing	No
Other Features	2 Rib Outer Ring Precision Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	RNA49/22
r _{min}	0,3 mm
Rolling Element	Needle Roller Bearing
Long Description	28MM Bore; 39MM Outside Diameter; 17MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.luk-us.com
Outside Diameter	1.535 Inch 39 Millimeter
Weight / Kilogram	0.05
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	28
Outer Diameter (mm)	39
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	RNA49/22
Number of Rows of Rollers	Single Row

