




Bearing No. 54305

R	45 mm
T	37,6 mm
B	8 mm
d	25 mm
D	52 mm
D1	27 mm
A1	18 mm
d3	52 mm
T2	22,8 mm
d2	20 mm
Noun	Bearing
Weight	0,35 Kg
r min.	1 mm
UNSPSC	31171552
Bore 1	0.787 Inch 20 Millimeter
Bore 2	1.063 Inch 27 Millimeter
Banded	No
Height	1.48 Inch 37.6 Millimeter
r1 min.	0,3 mm
rb max.	0,3 mm
ra max.	1 mm
Da max.	38 mm
Category	Thrust Ball Bearings
Size (mm)	25x52x37.6
Inventory	0.0
Width (mm)	37,6
Weight / LBS	0.7143
Inch - Metric	Metric

Product Group	B00308
Cage Material	Steel
Keyword String	Ball Thrust
Other Features	Double Row With Aligning Seat
Bearing number	54305
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Outside Diameter	2.047 Inch 52 Millimeter
Long Description	20MM Bore 1; 27MM Bore 2; 52MM Outside Diameter; 37.6MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Manufacturer Name	NSK
Weight / Kilogram	0.428
Bore Diameter (mm)	25
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	3000 r/min
Basic dynamic load rating (C)	36 kN
Basic static load rating (C0)	61,5 kN

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------