




Bearing No. FNT-4060

D	60 mm
d	40 mm
T	3 mm
Eb	43.0 mm
Cu	14.6
Ca	31.5
D1	42
Dw	3
Dc	60
Ea	57.0 mm
C0a	132.0
Dc1	40
Noun	Roller Assembly
D,d1	60
h(mm)	3.50
a(mm)	1.00
Bore 2	1.575 Inch 40 Millimeter
Banded	No
Bore 1	1.575 Inch 40 Millimeter
UNSPSC	31171500
Height	0.118 Inch 3 Millimeter
Weight	0.020 Kg
h1(mm)	1.00
ra max.	0.6 mm
rs(min)	0.60
ra(max)	0.6
Category	Thrust Roller Bearings
Oil lub.	7100
Inventory	1.0

Size (mm)	40x60x3
Width (mm)	3
Bearing No.	FNT-4060
Weight / LBS	0.044
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-4060
Thrust Bearing	Yes
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Long Description	40MM Bore 1; 40MM Bore 2; 60MM Outside Diameter; 3MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Outside Diameter	2.362 Inch 60 Millimeter
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.043
Weight / Kilogram	0.02
Manufacturer Name	KOYO
Bore Diameter (mm)	40
Washer designation	LS4060
Outer Diameter (mm)	60
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only



Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	FNT-4060
Single or Double Direction	Single Direction
Basic static load rating (C0)	132.0 kN
Basic dynamic load rating (C)	31.5 kN
Washer designation Shaft piloted	WS.81108
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	GS.81108