




Bearing No. FNT-5578

D	78 mm
d	55 mm
T	3 mm
Eb	57.0 mm
Cu	26.3
Ca	48.5
D1	57
Dw	3
Dc	78
Ea	76.0 mm
C0a	254.0
Dc1	55
Noun	Roller Assembly
D,d1	78
h(mm)	5.00
a(mm)	1.00
Height	0.118 Inch 3 Millimeter
Banded	No
Bore 2	2.165 Inch 55 Millimeter
UNSPSC	31171500
Bore 1	2.165 Inch 55 Millimeter
Weight	0.033 Kg
h1(mm)	1.00
ra max.	0.6 mm
rs(min)	0.60
ra(max)	0.6
Category	Thrust Roller Bearings
Oil lub.	5300
Inventory	0.0

Size (mm)	55x78x3
Width (mm)	3
Bearing No.	FNT-5578
Weight / LBS	0.073
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-5578
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Long Description	55MM Bore 1; 55MM Bore 2; 78MM Outside Diameter; 3MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Outside Diameter	3.071 Inch 78 Millimeter
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.094
Weight / Kilogram	0.03
Manufacturer Name	KOYO
Washer designation	LS5578
Bore Diameter (mm)	55
Outer Diameter (mm)	78
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only



Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	FNT-5578
Single or Double Direction	Single Direction
Basic static load rating (C0)	254.0 kN
Basic dynamic load rating (C)	48.5 kN
Washer designation Shaft piloted	WS.81111
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	GS.81111