




Bearing No. FNT-619

D	19 mm
d	6 mm
T	2 mm
Eb	8.0 mm
Cu	1.50
Ca	6.82
D1	-
Dw	2
Dc	19
Ea	18.0 mm
C0a	15.6
Dc1	6
Noun	Roller Assembly
D,d1	19
h(mm)	-
a(mm)	-
Height	0.079 Inch 2 Millimeter
Banded	No
Bore 2	0.236 Inch 6 Millimeter
UNSPSC	31171500
Bore 1	0.236 Inch 6 Millimeter
Weight	0.002 Kg
h1(mm)	1.00
ra max.	0.3 mm
rs(min)	-
ra(max)	0.3
Category	Thrust Roller Bearings
Oil lub.	21000
Inventory	0.0
Size (mm)	6x19x2

Width (mm)	2
Bearing No.	FNT-619
Weight / LBS	0.004
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	FNT-619
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.koyousa.com
Outside Diameter	0.748 Inch 19 Millimeter
Long Description	6MM Bore 1; 6MM Bore 2; 19MM Outside Diameter; 2MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
(Refer.)Mass(kg)	-
Weight / Kilogram	0.002
Manufacturer Name	KOYO
Washer designation	-
Bore Diameter (mm)	6
Outer Diameter (mm)	19
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Harmonized Tariff Code	8482.99.25.40

Manufacturer Item Number	FNT-619
Single or Double Direction	Single Direction
Basic static load rating (C0)	15.6 kN
Basic dynamic load rating (C)	6.82 kN
Washer designation Shaft piloted	-
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	-