




Bearing No. 54210

R	64 mm
d	50 mm
D	78 mm
T	42 mm
B	9 mm
T2	25,5 mm
A1	30,5 mm
D1	52 mm
d2	40 mm
d3	78 mm
Noun	Bearing
Bore 1	1.575 Inch 40 Millimeter
Banded	No
r min.	1 mm
Weight	0,75 Kg
Bore 2	2.047 Inch 52 Millimeter
Height	1.654 Inch 42 Millimeter
UNSPSC	31171552
r1 min.	0,6 mm
rb max.	0,6 mm
ra max.	1 mm
Da max.	62 mm
Category	Thrust Ball Bearings
Size (mm)	50x78x42
Inventory	0.0
Width (mm)	42
Weight / LBS	1.53662
Inch - Metric	Metric

Product Group	B00308
Cage Material	Steel
Bearing number	54210
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Aligning Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	3.071 Inch 78 Millimeter
Manufacturer URL	http://www.nskamericas.com
Long Description	40MM Bore 1; 52MM Bore 2; 78MM Outside Diameter; 42MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non- Precision
Weight / Kilogram	0.875
Manufacturer Name	NSK
Bore Diameter (mm)	50
Outer Diameter (mm)	78
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	2400 r/min
Basic dynamic load rating (C)	49 kN
Basic static load rating (C0)	111 kN

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------