




Bearing No. 54207

R	50 mm
d	35 mm
D	62 mm
T	37,8 mm
B	8 mm
T2	22,9 mm
A1	21 mm
D1	37 mm
d2	30 mm
d3	62 mm
Noun	Bearing
Bore 2	1.457 Inch 37 Millimeter
Banded	No
r min.	1 mm
Weight	0,447 Kg
Height	1.496 Inch 38 Millimeter
Bore 1	1.181 Inch 30 Millimeter
UNSPSC	31171552
r1 min.	0,3 mm
rb max.	0,3 mm
ra max.	1 mm
Da max.	48 mm
Category	Thrust Ball Bearings
Size (mm)	35x62x37.8
Inventory	0.0
Width (mm)	37,8
Weight / LBS	0.89508
Inch - Metric	Metric

Product Group	B00308
Cage Material	Steel
Bearing number	54207
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Aligning Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	2.441 Inch 62 Millimeter
Manufacturer URL	http://www.nskamericas.com
Long Description	30MM Bore 1; 37MM Bore 2; 62MM Outside Diameter; 38MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0.535
Manufacturer Name	NSK
Bore Diameter (mm)	35
Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	2800 r/min
Basic dynamic load rating (C)	39,5 kN
Basic static load rating (C0)	78 kN

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------