
Loyal | 54205



Bearing No. 54205

R	40 mm
d	25 mm
D	47 mm
T	31,4 mm
B	7 mm
T2	19,2 mm
A1	16,5 mm
D1	27 mm
d2	20 mm
d3	47 mm
Noun	Bearing
Height	1.236 Inch | 31.4 Millimeter
Banded	No
r min.	0,6 mm
Weight	0,236 Kg
Bore 2	1.063 Inch | 27 Millimeter
Bore 1	0.787 Inch | 20 Millimeter
UNSPSC	31171552
r1 min.	0,3 mm
rb max.	0,3 mm
ra max.	0,6 mm
Da max.	36 mm
Category	Thrust Ball Bearings
Size (mm)	25x47x31.4
Inventory	0.0
Width (mm)	31,4
Weight / LBS	0.46958
Inch - Metric	Metric

Product Group	B00308
Cage Material	Steel
Bearing number	54205
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row | With Aligning Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	1.85 Inch | 47 Millimeter
Manufacturer URL	http://www.nskamericas.com
Long Description	20MM Bore 1; 27MM Bore 2; 47MM Outside Diameter; 31.4MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0.316
Manufacturer Name	NSK
Bore Diameter (mm)	25
Outer Diameter (mm)	47
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	3400 r/min
Basic dynamic load rating (C)	28 kN
Basic static load rating (C0)	50,5 kN
Overall Height with	0 Inch | 0 Millimeter

Aligning Washer	