




Bearing No. 6006ZZ

D	55 mm
d	30 mm
B	13 mm
C	13 mm
rn	0,5 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
da max	37 mm
UNSPSC	31171504
Weight	0,116 Kg
r min.	1 mm
ra max.	1 mm
da min.	35 mm
Da max.	50 mm
Category	Single Row Ball Bearing
Inventory	0.0
Size (mm)	30x55x13
Snap Ring	No
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	13
Weight / LBS	0.256
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
closure type:	Double Shielded
Keyword String	Ball
bore diameter:	30 mm
overall width:	13 mm

cage material:	Steel
Other Features	Deep Groove
Bearing number	6006ZZ
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Outer Race Width	0.512 Inch 13 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	2.165 Inch 55 Millimeter
Long Description	30MM Bore; 55MM Outside Diameter; 13MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stee
bearing material:	High Carbon Chrome Steel
outside diameter:	55 mm
Weight / Kilogram	0.116
Manufacturer Name	NTN
Bore Diameter (mm)	30
Internal Clearance	C0-Medium
internal clearance:	CN
Outer Diameter (mm)	55
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6006ZZ
manufacturer upc number:	4547359003802

Internal Special Features	No
(Grease) Lubrication Speed	13 000 r/min
operating temperature range:	-40 to 250 °F °F
Basic static load rating (C0)	8,3 kN
Basic dynamic load rating (C)	13,2 kN
Maximum Capacity / Filling Slot	No