




Bearing No. NUP226EM

S	1,5 mm
D	230 mm
r	3
C	40 mm
B	40 mm
d	130 mm
Fw	153,5 mm
D_	230
rb	2.5
B_	40
ra	2.5
C0	455
r1	3
da	143
Z_	17
DE_	209.5
DA_	28
DI_	153.5
mass	7.46
SDM_	181.5
SBRG	2
yobi	NUP226EM
KBRG	4165
LangID	1
r min.	3 mm
db max	150
dd min	168
Db max	217 mm
ALPHA_	0
db min	143 mm

C_conv	365000
Weight	8,03 Kg
dc min	158
TSR rpm	3400
D_a max	217
GRS rpm	2600
hidYobi	NUP226EM
Oil rpm	3200
ra max.	2,5 mm
r1 min.	3 mm
da min.	143 mm
Da max.	217 mm
db max.	150 mm
rb max.	2,5 mm
Category	Roller Bearings
hidTable	ecat_NSCLDR
Macha rpm	5000
Size (mm)	130x230x40
Inventory	0.0
Width (mm)	40
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP226EM
Manufacturer Name	NSK
Weight / Kilogram	7.5
Bore Diameter (mm)	130
Outer Diameter (mm)	230
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2600 r/min
Basic dynamic load rating (C)	365 kN
Basic static load rating	455 kN

(C0)	
------	--