




Bearing No. NUP228EM

S	1,5 mm
D	250 mm
r	3
C	42 mm
B	42 mm
d	140 mm
Fw	169 mm
D_	250
rb	2.5
B_	42
ra	2.5
C0	515
r1	3
da	153
Z_	19
DE_	225
DA_	28
DI_	169
mass	9.58
SDM_	197
SBRG	2
yobi	NUP228EM
KBRG	4165
LangID	1
r min.	3 mm
db max	165
dd min	182
Db max	237 mm
ALPHA_	0
db min	153 mm

C_conv	395000
Weight	9,38 Kg
dc min	171
TSR rpm	3200
D_a max	237
GRS rpm	2400
hidYobi	NUP228EM
Oil rpm	3000
ra max.	2,5 mm
r1 min.	3 mm
da min.	153 mm
Da max.	237 mm
db max.	165 mm
rb max.	2,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	4500
Size (mm)	140x250x42
Inventory	0.0
Width (mm)	42
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP228EM
Manufacturer Name	NSK
Weight / Kilogram	7.5
Bore Diameter (mm)	140
Outer Diameter (mm)	250
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2400 r/min
Basic dynamic load rating (C)	395 kN
Basic static load rating	515 kN

(C0)	
------	--