



Bearing No. TCJ20-N

L	86 mm
J	63,5 mm
d	20 mm
V	68 mm
U	45,6 mm
N	11,5 mm
A	29 mm
A2	19 mm
B1	43,7 mm
A1	10 mm
d3	33 mm
Noun	Bearing
Bore	0.787 Inch 20 Millimeter
Seals	Double Triply
Weight	0,65 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	2.5 Inch 63.5 Millimeter
Weight / LBS	0.65
Inch - Metric	Metric
Housing Style	4 Bolt Square Flange Block
Product Group	M06110
Bearing number	TCJ20-N
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial Extended Inner Race

	Metric With Set Screw
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 20MM Bore; 90MM Bolt Circle; 63.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 43.7MM Length Thru Bore; Relubricatable; Double Triply Sea
Length Thru Bore	1.72 Inch 43.7 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.778
Insert Part Number	GE20KPPB3
Bore Diameter (mm)	20
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TCJ20
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	4
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	12,8 kN
Nominal Bolt Circle Diameter Round	3.5 Inch 90 Millimeter

