



Bearing No. TCJ25-N

L	95 mm
N	11,5 mm
d	25 mm
V	74 mm
U	46 mm
A	29 mm
J	70 mm
d3	37,5 mm
A1	11 mm
B1	44,5 mm
A2	19 mm
Noun	Bearing
Bore	0.984 Inch 25 Millimeter
Seals	Double Triply
Weight	0,81 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	2.756 Inch 70 Millimeter
Weight / LBS	0.82
Inch - Metric	Metric
Housing Style	4 Bolt Square Flange Block
Product Group	M06110
Bearing number	TCJ25-N
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial

	Extended Inner Race Metric With Set Screw
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 25MM Bore; 99MM Bolt Circle; 70MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 44.4MM Length Thru Bore; Relubricatable; Double Triply Seal
Length Thru Bore	1.748 Inch 44.4 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.042
Insert Part Number	GE25KPPB3
Bore Diameter (mm)	25
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TCJ25
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	4
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	14 kN
Nominal Bolt Circle	3.9 Inch 99 Millimeter

Diameter Round	
----------------	--