



Bearing No. TCJ30-N

d	30 mm
V	85 mm
U	50,2 mm
A	29 mm
J	82,5 mm
L	108 mm
N	11,5 mm
A2	20 mm
d3	44 mm
A1	12 mm
B1	48,5 mm
Bore	1.181 Inch 30 Millimeter
Noun	Bearing
Seals	Double Triply
Weight	1,17 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	3.248 Inch 82.5 Millimeter
Weight / LBS	1.16
Product Group	M06110
Inch - Metric	Metric
Housing Style	4 Bolt Square Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial Extended Inner Race Metric With Set Screw

Bearing number	TCJ30-N
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 30MM Bore; 117MM Bolt Circle; 82.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 48.4MM Length Thru Bore; Relubricatable; Double Triply Se
Length Thru Bore	1.906 Inch 48.4 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.401
Insert Part Number	GE30KPPB3
Bore Diameter (mm)	30
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	TCJ30
Number of Mounting Holes	4
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	19,5 kN
Nominal Bolt Circle Diameter Round	4.6 Inch 117 Millimeter

