




Bearing No. HR32007XJ

a	15 mm
e	0.45
d	35 mm
D	62 mm
T	18 mm
B	18 mm
C	14 mm
B_	18
da	44
Y0	0.73
C0	55.5
D_	62
Sb	4
Sa	4
db	40
Z_	20
Y1	1.3
C_	14
Cr	4400
DE_	54.746
Iso	4CC
DI_	42.414
C0r	5650
DA_	6.309
D_b	60
D_a2	54
SBRG	20
SDM_	48.58
D_a1	56
yobi	HR32007XJ

KBRG	3111
mass	0.229
TC-RA	100.8
r min.	1 mm
LangID	1
TC-DA2	5.876
Da min	54 mm
TC-SLR	13
ALPHA_	16.833
TC-DA1	6.742
Weight	0,229 Kg
T-ALP22	40
da min.	44 mm
r1 min.	1 mm
T-ALP21	33
db max.	40 mm
hidYobi	HR32007XJ
rb max.	1 mm
T-ALP23	0
Da max.	56 mm
Oil rpm	8000
GRS rpm	5600
ra max.	1 mm
inner r	1
Db min.	60 mm
outer r	1
inner ra	1
hidTable	ecat_NSTPRM
outer rb	1
Category	Roller Bearings
TC-BET23	0
TC-BET21	3

TC-BET22	50
Inventory	0.0
Size (mm)	35x62x18
Prod_Type3	TRBSR_MD_A
Width (mm)	18
Product Group	B04334
Bearing number	HR32007XJ
Weight / Kilogram	0
Manufacturer Name	NSK
Bore Diameter (mm)	35
Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
Calculation factor (e)	0,45
(Oil) Lubrication Speed	8000 r/min
Calculation factor (Y0)	0,73
(Grease) Lubrication Speed	5600 r/min
Basic dynamic load rating (C)	43,5 kN
Basic static load rating (C0)	55,5 kN