




Bearing No. NUP2222EM

S	1,4 mm
D	200 mm
r	2.1
C	53 mm
B	53 mm
d	110 mm
Fw	132,5 mm
D_	200
rb	2
B_	53
ra	2
C0	515
r1	2.1
da	121
Z_	17
DE_	180.5
DA_	24
DI_	132.5
mass	7.79
SDM_	156.5
SBRG	22
yobi	NUP2222EM
KBRG	4165
LangID	1
r min.	2,1 mm
db max	129
dd min	144
Db max	189 mm
ALPHA_	0
db min	121 mm

C_conv	385000
Weight	7,65 Kg
dc min	135
TSR rpm	4000
D_a max	189
GRS rpm	2800
hidYobi	NUP2222EM
Oil rpm	3400
ra max.	2 mm
r1 min.	2,1 mm
da min.	121 mm
Da max.	189 mm
db max.	129 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	5000
Size (mm)	110x200x53
Inventory	0.0
Width (mm)	53
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP2222EM
Manufacturer Name	NSK
Weight / Kilogram	12
Bore Diameter (mm)	110
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2800 r/min
Basic dynamic load rating (C)	385 kN
Basic static load rating	515 kN

(C0)	
------	--