




Bearing No. 6009NR

f	1,65 mm
d	45 mm
D	75 mm
B	16 mm
C	16 mm
a	2,49 mm
b	2,05 mm
Cr	26.2
f0	15.3
Cu	0.900
D2	81,6 mm
D1	71,83 mm
C0r	15.1
Bore	1.772 Inch 45 Millimeter
Noun	Bearing
r min.	1 mm
r(min)	1
UNSPSC	31171504
Weight	0,245 Kg
r1(min)	0.5
da(min)	50
D2(min)	81.6
Da(max)	70
rb(max)	0.5
ra(max)	1
Dx(min)	83
r0 max.	0,6 mm
r1 min.	0,5 mm
da min.	50 mm

Cy(max)	3.89
Da max.	70 mm
Category	Single Row Ball Bearing
Oil lub.	11000
Snap Ring	Yes
Size (mm)	45x75x16
Inventory	0.0
Enclosure	Open
Width (mm)	16
Grease lub.	9200
f{0.05)	1.65
Bearing No.	6009NR
Weight / LBS	0.54013
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Bearing number	6009NR
Other Features	Deep Groove With Snap Ring
Keyword String	Ball
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	http://www.koyousa.com
Outer Race Width	0.63 Inch 16 Millimeter
(Refer.)Mass(kg)	0.245
Long Description	45MM Bore; 75MM Outside Diameter; 16MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage

Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	2.953 Inch 75 Millimeter
Weight / Kilogram	0.265
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	45
Outer Diameter (mm)	75
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	11000 r/min
Internal Special Features	No
(Grease) Lubrication Speed	9200 r/min
Basic static load rating (C0)	15,1 kN
Basic dynamic load rating (C)	21 kN
Maximum Capacity / Filling Slot	No