




Bearing No. 23234CKE4

r	4
d	170 mm
D	310 mm
B	110 mm
C	110 mm
e	0.34
Y2	2.9
C0	1910
D_	310
B_	110
Y0	1.9
ra	3
Y1	1.9
X0	1
X1	1
X2	0.67
Y3	2
Z_	18
DE_	274.956
DA_	34
SIR	44
DI_	208.654
bomp	23234CKE4
SBRG	32
KBRG	2322
SDM_	241.805
ALP1	12
mass	36.4
yobi	23234CKE4
ALP3	0

ALP2	50
da min	188
r min.	4 mm
da max	201 mm
Da min	261 mm
Weight	36,4 Kg
LangID	1
ALPHA_	0.224
D_a max	292
Da max.	292 mm
da min.	188 mm
Oil rpm	1200
D_a min	261
GRS rpm	900
hidYobi	23234CKE4
TSR rpm	1400
ra max.	3 mm
Category	Bearings
hidTable	ecat_NSSPHR
Macha rpm	0
Size (mm)	170x310x110
Inventory	0.0
Prod_Type3	SRB_CTB_TB
Width (mm)	110
Product Group	B04311
Bearing number	23234CKE4
Manufacturer Name	NSK
Weight / Kilogram	0.139
Bore Diameter (mm)	170
Outer Diameter (mm)	310
Minimum Buy Quantity	N/A
Calculation factor (e)	0,34

(Oil) Lubrication Speed	1200 r/min
Calculation factor (Y0)	1,9
Calculation factor (Y2)	2,9
(Grease) Lubrication Speed	900 r/min
Basic dynamic load rating (C)	1200 kN
Basic static load rating (C0)	1910 kN