




Bearing No. 7000CG/GNP4

D	26 mm
d	10 mm
B	8 mm
C	8 mm
Bore	0.394 Inch 10 Millimeter
Noun	Bearing
UNSPSC	31171531
weight:	0.018 kg
Preload	Light
Flanges	No
Category	Miniature Precision Ball Bearings
Size (mm)	10x26x8
Enclosure	Open
Inventory	0.0
bore type:	Round
Width (mm)	8
maximum rpm:	46000 rpm
Flush Ground	Yes
Weight / LBS	0.04
Inch - Metric	Metric
Cage Material	Nylon
Contact Angle	15 Degree
Race Material	Steel
Raceway Style	1 Rib Outer Ring
closure type:	Open
Product Group	B04270
fillet radius:	0.3 mm
bore diameter:	10 mm
overall width:	8 mm

Keyword String	Angular Contact Ball
cage material:	Nylon
Bearing number	7000CG/GNP4
Other Features	Single Row Angular Contact
contact angle:	15 °
Angle (?)	15 °
Precision Class	ABEC 7 ISO P4
Rolling Element	Ball Bearing
Material - Ball	Steel
finish/coating:	Uncoated
Outer Race Width	0.315 Inch 8 Millimeter
Long Description	10MM Bore; 26MM Outside Diameter; 8MM Inner Race Width; 8MM Outer Race Width; Open Enclosure; ABEC 7 ISO P4 Precision; No Flange; Steel Ball Material; Steel Race Material; 1 (Single) Bearing
Outside Diameter	1.024 Inch 26 Millimeter
Inner Race Width	0.315 Inch 8 Millimeter
Manufacturer URL	http://www.ntnamerica.com
precision rating:	ISO Class 4
bearing material:	High Carbon Chrome Steel
outside diameter:	26 mm
Manufacturer Name	NTN
Weight / Kilogram	0.018
Bore Diameter (mm)	10
Number of Bearings	1 (Single)
snap ring included:	Without Snap Ring

Outer Diameter (mm)	26
Mounting Arrangement	Universal
Minimum Buy Quantity	N/A
row type & fill slot:	Single-Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.28
Flange Outside Diameter	0 Inch 0 Millimeter
Manufacturer Item Number	7000CG/GNP4
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
radial static load capacity:	2200 N
radial dynamic load capacity:	4900 N