




Bearing No. 7000DB

C	8 mm
a	9 mm
d	10 mm
D	26 mm
B	8 mm
2B	16 mm
Bore	0.394 Inch 10 Millimeter
Noun	Bearing
Width	0.63 Inch 16 Millimeter
UNSPSC	31171531
Db max	24,8 mm
r min.	0,3 mm
Weight	0,046 Kg
r1 min.	0,15 mm
da min.	12,5 mm
ra max.	0,3 mm
Category	Angular Contact Ball Bearing
ra1 max.	0,15 mm
Inventory	0.0
Size (mm)	10x26x8
Snap Ring	No
Enclosure	Open
Width (mm)	8
Flush Ground	Yes
Inch - Metric	Metric
Contact Angle	30 Degree
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact

Bearing number	7000DB
Rolling Element	Ball Bearing
Angle (?)	25 °
Precision Class	ABEC 1 ISO P0
Outside Diameter	1.024 Inch 26 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	10MM Bore; 26MM Outside Diameter; 16MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 2 (1 Pair); D
Weight / Kilogram	0.043
Manufacturer Name	NTN
Bore Diameter (mm)	10
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Outer Diameter (mm)	26
Minimum Buy Quantity	N/A
Mounting Arrangement	Duplex-Back to Back
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7000DB
(Grease) Lubrication Speed	23 000 r/min
Basic dynamic load rating (C)	7,5 kN
Basic static load rating (C0)	4,15 kN
Maximum Capacity /	No

Filling Slot	
--------------	--