




Bearing No. 6010ZZ

D	80 mm
d	50 mm
B	16 mm
C	16 mm
rn	0,5 mm
Bore	1.969 Inch 50 Millimeter
Noun	Bearing
da max	57,5 mm
UNSPSC	31171504
Weight	0,261 Kg
r min.	1 mm
ra max.	1 mm
da min.	55 mm
Da max.	75 mm
Category	Single Row Ball Bearing
Size (mm)	50x80x16
Snap Ring	No
Enclosure	2 Metal Shields
Inventory	0.0
Width (mm)	16
bore type:	Round
Weight / LBS	0.577
Product Group	B00308
Cage Material	Steel
closure type:	Double Shielded
Inch - Metric	Metric
Other Features	Deep Groove Shell Alvania Prelubricated
bore diameter:	50 mm
Keyword String	Ball

overall width:	16 mm
cage material:	Steel
Bearing number	6010ZZ
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Outer Race Width	0.63 Inch 16 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Long Description	50MM Bore; 80MM Outside Diameter; 16MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	3.15 Inch 80 Millimeter
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
outside diameter:	80 mm
Weight / Kilogram	0.261
Bore Diameter (mm)	50
Internal Clearance	C0-Medium
internal clearance:	CN
Outer Diameter (mm)	80
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6010ZZ/2AU1
manufacturer upc number:	4547359003963
Internal Special Features	No

(Grease) Lubrication Speed	8 400 r/min
operating temperature range:	-40 to 250 °F °F
Basic static load rating (C0)	16,6 kN
Basic dynamic load rating (C)	21,8 kN
Maximum Capacity / Filling Slot	No