




Bearing No. 6011-2NSE

D	90 mm
d	55 mm
B	18 mm
C	18 mm
Noun	Bearing
Bore	2.165 Inch 55 Millimeter
Width	18 mm
Weight	0.384 Kg
UNSPSC	31171504
r min.	1.1 mm
da min.	61 mm
Da max.	84 mm
ra max.	1.0 mm
Category	Single Row Ball Bearing
ra (max)	1 mm
da (min)	61 mm
Da (max)	84 mm
Factor fo	15.4
Size (mm)	55x90x18
Inventory	0.0
Bore Size	55 mm
Bore Type	Cylindrical Bore
Enclosure	2 Seals
Snap Ring	No
Width (mm)	18
Configuration	Single Row
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308

Other Features	Deep Groove
Enclosure Type	Contact Seal
Keyword String	Ball
Bearing number	6011-2NSE
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	55MM Bore; 90MM Outside Diameter; 18MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Manufacturer URL	http://www.nachiamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Outer Race Width	0.709 Inch 18 Millimeter
Radial Clearance	0.008 to 0.028 mm
Weight / Kilogram	0
Manufacturer Name	NACHI
Bore Diameter (mm)	55
Internal Clearance	C0-Medium
Static Load Rating	21,300 N
Dynamic Load Rating	28,300 N
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Fillet Radius/Chamfer	1.1 mm
Harmonized Tariff Code	8482.10.50.68
Limiting Speed - Grease	4,500 rpm
Internal Special	No

Features	
Basic dynamic load rating (C)	28,3 kN
Basic static load rating (C0)	21,3 kN
Maximum Capacity / Filling Slot	No