




Bearing No. NUP218EM

S	1,4 mm
D	160 mm
r	2
C	30 mm
B	30 mm
d	90 mm
Fw	107 mm
D_	160
rb	2
B_	30
ra	2
C0	217
r1	2
da	99
Z_	17
DE_	145
DA_	19
DI_	107
mass	2.71
SDM_	126
SBRG	2
yobi	NUP218EM
KBRG	4165
LangID	1
r min.	2 mm
db max	104
dd min	116
Db max	151 mm
ALPHA_	0
db min	99 mm

C_conv	182000
Weight	2,6 Kg
dc min	109
TSR rpm	4800
D_a max	151
GRS rpm	4000
hidYobi	NUP218EM
Oil rpm	4800
ra max.	2 mm
r1 min.	2 mm
da min.	99 mm
Da max.	151 mm
db max.	104 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	7100
Size (mm)	90x160x30
Inventory	0.0
Width (mm)	30
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP218EM
Manufacturer Name	NSK
Weight / Kilogram	2.75
Bore Diameter (mm)	90
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	4000 r/min
Basic dynamic load rating (C)	182 kN
Basic static load rating	217 kN

(C0)	
------	--