




Bearing No. 6011NR

f	2,41 mm
d	55 mm
D	90 mm
B	18 mm
C	18 mm
a	2,87 mm
b	2,85 mm
Cr	35.3
f0	15.3
Cu	1.25
D2	96,5 mm
D1	86,79 mm
C0r	21.2
Bore	2.165 Inch 55 Millimeter
Noun	Bearing
r min.	1,1 mm
r(min)	1.1
UNSPSC	31171504
Weight	0,385 Kg
r1(min)	0.5
da(min)	61.5
D2(min)	96.5
Da(max)	83.5
rb(max)	0.5
ra(max)	1
Dx(min)	98
r0 max.	0,6 mm
r1 min.	0,5 mm
da min.	61,5 mm

Cy(max)	5.03
Da max.	83,5 mm
Category	Single Row Ball Bearing
Oil lub.	8900
Snap Ring	Yes
Size (mm)	55x90x18
Inventory	0.0
Enclosure	Open
Width (mm)	18
Grease lub.	7600
f{0.05)	2.41
Bearing No.	6011NR
Weight / LBS	0.84878
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Bearing number	6011NR
Other Features	Deep Groove With Snap Ring
Keyword String	Ball
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	http://www.koyousa.com
Inner Race Width	0 Inch 0 Millimeter
(Refer.)Mass(kg)	0.385
Long Description	55MM Bore; 90MM Outside Diameter; 18MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage

Outer Race Width	0.709 Inch 18 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Weight / Kilogram	0
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	55
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	8900 r/min
Internal Special Features	No
(Grease) Lubrication Speed	7600 r/min
Basic static load rating (C0)	21,2 kN
Basic dynamic load rating (C)	28,3 kN
Maximum Capacity / Filling Slot	No