




Bearing No. 6012ZZ

D	95 mm
d	60 mm
B	18 mm
C	18 mm
rn	0,5 mm
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
da max	69 mm
UNSPSC	31171504
Weight	0,414 Kg
r min.	1,1 mm
ra max.	1 mm
da min.	66,5 mm
Da max.	88,5 mm
Category	Single Row Ball Bearing
Size (mm)	60x95x18
Snap Ring	No
Enclosure	2 Metal Shields
Inventory	4.0
Width (mm)	18
bore type:	Round
Weight / LBS	0.913
Product Group	B00308
Cage Material	Steel
closure type:	Double Shielded
Inch - Metric	Metric
Other Features	Deep Groove Shell Alvania Prelubricated
bore diameter:	60 mm
Keyword String	Ball

overall width:	18 mm
cage material:	Steel
Bearing number	6012ZZ
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	3.74 Inch 95 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Long Description	60MM Bore; 95MM Outside Diameter; 18MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.709 Inch 18 Millimeter
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
outside diameter:	95 mm
Weight / Kilogram	0.42
Bore Diameter (mm)	60
Internal Clearance	C0-Medium
internal clearance:	CN
Outer Diameter (mm)	95
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6012ZZ/2AS
manufacturer upc number:	4547359004045
Internal Special	No

Features	
(Grease) Lubrication Speed	7 000 r/min
operating temperature range:	-40 to 250 °F °F
Basic static load rating (C0)	23,2 kN
Basic dynamic load rating (C)	29,5 kN
Maximum Capacity / Filling Slot	No