




Bearing No. 23056BK

D	420 mm
d	280 mm
B	106 mm
C	106 mm
Bore	11.024 Inch 280 Millimeter
Noun	Bearing
Width	4.173 Inch 106 Millimeter
Weight	50,6 Kg
UNSPSC	31171510
r min.	4 mm
ra max.	3 mm
da min.	298 mm
Da max.	402 mm
Category	Spherical Roller Bearing
Size (mm)	280x420x106
Enclosure	Open
Inventory	0.0
Width (mm)	106
Weight / LBS	123.76
Bore Profile	Tapered
Product Group	B04311
Inch - Metric	Metric
Cage Material	Bronze
Withdrawal Nut	HML60T
Bearing number	23056BK
Keyword String	Spherical
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available

Relubricatable	Yes
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Long Description	280MM Tapered Bore; 420MM Outside Diameter; 106MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	16.535 Inch 420 Millimeter
Withdrawal Sleeve	AH3056 AOH3056 (Specify bore)
Weight / Kilogram	56.19
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	280
Outer Diameter (mm)	420
Adapter Part Number	SNP3056 H3056 (Specify Bore) Inch H3056 (Specify bore) Millimeter
Minimum Buy Quantity	N/A
Harmonized Tariff Code	84823080
Calculation factor (e)	0,25
Calculation factor (Y1)	2,73
Calculation factor (Y0)	2,67
(Oil) Lubrication Speed	1 000 r/min
Number of Rows of	Double Row

Rollers	
(Grease) Lubrication Speed	770 r/min
Basic static load rating (C0)	2 920 kN
Basic dynamic load rating (C)	1 510 kN