




Bearing No. 6013LLB

D	100 mm
d	65 mm
B	18 mm
C	18 mm
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
r min.	1,1 mm
Weight	0,421 Kg
UNSPSC	31171504
da max	74 mm
da min.	71,5 mm
Da max.	93,5 mm
ra max.	1 mm
Category	Single Row Ball Bearing
Snap Ring	No
Enclosure	2 Seals
Size (mm)	65x100x18
Inventory	0.0
bore type:	Round
Width (mm)	18
Weight / LBS	1.037
Product Group	B00308
Cage Material	Steel
closure type:	Double Sealed
Inch - Metric	Metric
bore diameter:	65 mm
overall width:	18 mm
Keyword String	Ball
cage material:	Steel

Other Features	Deep Groove Non-Friction Nitrile Rubber Seal
Bearing number	6013LLB
Enclosure Type	Non-Contact Seal
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.709 Inch 18 Millimeter
Long Description	65MM Bore; 100MM Outside Diameter; 18MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
outside diameter:	100 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.441
Bore Diameter (mm)	65
Internal Clearance	C0-Medium
Outer Diameter (mm)	100
internal clearance:	CN
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
manufacturer upc number:	4547359004069

Manufacturer Item Number	6013LLB
Internal Special Features	No
(Grease) Lubrication Speed	6 500 r/min
operating temperature range:	-40 to 250 °F °F
Basic static load rating (C0)	25,2 kN
Basic dynamic load rating (C)	30,5 kN
Maximum Capacity / Filling Slot	No