




Bearing No. 6013N

a	2,87 mm
b	2,7 mm
d	65 mm
D	100 mm
B	18 mm
C	18 mm
Cz	2,5 mm
Dx	108 mm
D1	96,8 mm
Cy	5 mm
rn	0,5 mm
Noun	Bearing
Bore	2.559 Inch 65 Millimeter
Weight	0,421 Kg
r min.	1,1 mm
UNSPSC	31171504
da max	74 mm
r0 max.	0,6 mm
da min.	71,5 mm
Da max.	93,5 mm
ra max.	1 mm
Category	Single Row Ball Bearing
Enclosure	Open
Size (mm)	65x100x18
Inventory	0.0
Snap Ring	Yes
Width (mm)	18
Weight / LBS	1.0048
Inch - Metric	Metric

Cage Material	Steel
Product Group	B00308
Keyword String	Ball
Other Features	Deep Groove With Snap Ring Groove
Bearing number	6013N
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Long Description	65MM Bore; 100MM Outside Diameter; 18MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outer Race Width	0.709 Inch 18 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	0.54
Manufacturer Name	NTN
Bore Diameter (mm)	65
Internal Clearance	C0-Medium
Outer Diameter (mm)	100
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	7 700 r/min
Internal Special Features	No
(Grease) Lubrication Speed	6 500 r/min

Basic static load rating (C0)	25,2 kN
Basic dynamic load rating (C)	30,5 kN
Maximum Capacity / Filling Slot	No