




Bearing No. 23076 CC/W33

D	560 mm
d	380 mm
B	135 mm
b	22.3 mm
K	12 mm
series:	230
Category	Roller Bearings
Size (mm)	560x380x135
Inventory	0.0
cage type:	Inner Ring Guided
Width (mm)	135
bore type:	Straight
Mass bearing	115 kg
maximum rpm:	1200 RPM
Product Group	B04311
closure type:	Open
d ₂	426 mm
D ₁	509 mm
Bearing number	23076 CC/W33
fillet radius:	4 mm
Limiting speed	1200 r/min
cage material:	Steel
overall width:	135 mm
bore diameter:	380 mm
finish/coating:	Uncoated
Reference speed	900 r/min
outer ring type:	Not Split
Manufacturer Name	SKF
outside diameter:	560 mm
precision rating:	Not Rated

bearing material:	Steel
outer ring width:	135 mm
Weight / Kilogram	111.3
r_a max.	4 mm
Bore Diameter (mm)	560
D_a max.	542 mm
d_a min.	398 mm
internal clearance:	C0
Outer Diameter (mm)	380
d_a - min.	398 mm
Minimum Buy Quantity	N/A
D_a - max.	542 mm
Calculation factor e	0.22
r_a - max.	4 mm
$r_{1,2}$ min.	5 mm
static load capacity:	5000 kN
d_2 ?	426 mm
D_1 ?	509 mm
$r_{1,2}$ - min.	5 mm
Calculation factor - e	0.22
lubrication hole type:	Lubrication Groove & Hole
dynamic load capacity:	2900 kN
Basic dynamic load rating C	2984 kN
operating temperature range:	Maximum of +390 °F
Basic dynamic load rating - C	2984 kN
Calculation factor Y_1	3
Fatigue load limit P_u	360 kN
Calculation factor Y_2	4.6
Calculation factor Y_0	2.8

Fatigue load limit - P_u	360 kN
Calculation factor - Y_1	3
Calculation factor - Y_2	4.6
Calculation factor - Y_0	2.8
Basic static load rating C_0	5000 kN
Basic static load rating - C_0	5000 kN