




Bearing No. SL192318-TB

F	105,26 mm
d	90 mm
D	190 mm
B	64 mm
s	4 mm / Axial displacement
m	8,83 kg / Weight
Bore	3.543 Inch 90 Millimeter
Noun	Bearing
Width	2.52 Inch 64 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Inventory	0.0
Separable	Inner Ring - One Side
Size (mm)	90x190x64
Snap Ring	No
Width (mm)	64
Weight / LBS	23.311
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	2400 1/min / Limiting speed
d_1	117,5 mm
D_1	152,5 mm

C _r	620000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL192318-TB
C _{ur}	116000 N / Fatigue limit load, radial
C _{0r}	650000 N / Static load rating (radial)
r _{min}	3 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	90MM Bore; Straight Bore Profile; 190MM Outside Diameter; 64MM Width; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retai
Manufacturer URL	http://www.ina.com
Outside Diameter	7.48 Inch 190 Millimeter
Weight / Kilogram	10.58
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	90
Outer Diameter (mm)	190
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00



Manufacturer Item Number	SL192318
Number of Rows of Rollers	Single Row