



Bearing No. 6311-2RS1

D	120 mm
d	55 mm
B	29 mm
Bore	2.165 Inch 55 Millimeter
Noun	Bearing
UNSPSC	31171504
Category	Single Row Ball Bearing
Inventory	0.0
Enclosure	2 Seals
Size (mm)	120x55x29
Snap Ring	No
Width (mm)	29
Mass bearing	1.41 kg
Weight / LBS	3.13
Inch - Metric	Metric
Cage Material	Steel
D ₂	103.7 mm
d ₁	75.34 mm
Product Group	B00308
Enclosure Type	Contact Seal
Keyword String	Ball
Bearing number	6311-2RS1
Limiting speed	3800 r/min
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.skf.com
Long Description	55MM Bore; 120MM Outside Diameter; 29MM Outer Race Diameter; 2 Seals; Ball

	Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	4.724 Inch 120 Millimeter
Outer Race Width	1.142 Inch 29 Millimeter
Weight / Kilogram	1.418
Manufacturer Name	SKF
Internal Clearance	C0-Medium
Bore Diameter (mm)	120
d _a max.	75.2 mm
D _a max.	109 mm
d _a min.	66 mm
r _a max.	2 mm
Outer Diameter (mm)	55
D _a - max.	109 mm
d _a - max.	75.2 mm
d _a - min.	66 mm
r _{1,2} min.	2 mm
Minimum Buy Quantity	N/A
r _a - max.	2 mm
D ₂ ?	103.7 mm
d ₁ ?	75.34 mm
r _{1,2} - min.	2 mm
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6311-2RS1
Internal Special Features	No
Basic dynamic load rating C	74.1 kN
Basic dynamic load rating - C	74.1 kN

Maximum Capacity / Filling Slot	No
Fatigue load limit P_u	1.9 kN
Calculation factor k_r	0.03
Calculation factor f_0	13.1
Fatigue load limit - P_u	1.9 kN
Calculation factor - k_r	0.03
Calculation factor - f_0	13.1
Basic static load rating C_0	45 kN
Basic static load rating - C_0	45 kN